

**IN THE CLAIMS:**

Please cancel claims 1-16.

Please amend claim 30 as follows.

The pending claims in this application are:

1.-16. (Cancelled)

17. (Original) A method of reducing NO<sub>x</sub> emission during fluid catalytic cracking of a hydrocarbon feedstock into lower molecular weight components said method comprising contacting a hydrocarbon feedstock with a cracking catalyst suitable for catalyzing the cracking of hydrocarbons at elevated temperature whereby lower molecular weight hydrocarbon components are formed in the presence of a NO<sub>x</sub> reduction composition, wherein said NO<sub>x</sub> reduction composition comprises a (i) mixed oxide of cerium and zirconium, (ii) optionally, at least one oxide from the lanthanide series other than cerium and (iii) optionally, an oxide of a transition metal selected from Groups Ib and IIb of the Periodic Table, said NO<sub>x</sub> reduction component being present in a sufficient NO<sub>x</sub> reducing amount.

18. (Original) The method of claim 17 wherein said cracking catalyst and NO<sub>x</sub> reduction composition are separate particles.

19. (Original) The method of claim 17 wherein said cracking catalyst and NO<sub>x</sub> reduction composition are present as an integral combination of the cracking catalyst component and the NO<sub>x</sub> reduction composition component in a single particle.

20. (Original) The method of claim 17 wherein said cracking catalyst is fluidized during contact with a hydrocarbon feedstock.
21. (Original) The method of claim 17 further comprising recovering used cracking catalyst from said contacting step and treating said used catalyst under conditions to regenerate said catalyst.
22. (Original) The method of claim 17 wherein said hydrocarbon feedstock contains at least 0.1 wt % nitrogen.
23. (Original) The method of claim 17 wherein said mixed oxide (i) contains at least 20 % cerium oxide by weight and at least 15% zirconium oxide by weight.
24. (Original) The method of claim 17 wherein said NO<sub>x</sub> reduction component includes positive amounts of component (iii).
25. (Original) The method of claim 24 wherein said at least one oxide of a transition metal (iii) is copper oxide.
26. (Original) The method of claim 17 wherein said NO<sub>x</sub> reduction component includes positive amounts of component (ii).
27. (Original) The method of claim 26 wherein (ii) comprises oxides of La, Nd, Pr, or mixtures thereof.

28. (Original) The method of claim 18 wherein components (i), (ii), and (iii) comprise at least 40 weight % of said NOx removal composition.

29. (Original) The method of claim 18 wherein components (i), (ii), and (iii) comprise at least 55 weight % of said NOx removal composition.

30. (Presently amended) The ~~composition~~ method of claim 23 wherein said mixed oxide (i) is present in amounts of at least 70% by weight relative to the total of (i), (ii), and (iii).